



County of Kings - Department of Public Health  
Environmental Health Services Division  
330 Campus Drive Hanford, CA 93230  
Phone - 559-584-1411 Fax - 559-584-6040  
Internet - www.countyofkings.com/ehs

**FOOD SAFETY EVALUATION REPORT - COMPLAINT INSPECTION**

<b>FACILITY NAME:</b> MCDONALDS RESTAURANT	<b>BUSINESS PHONE:</b> (209) 723-3716	<b>RECORD ID#:</b> PR0006742	<b>DATE:</b> December 05, 2019
<b>FACILITY SITE ADDRESS:</b> 110 N 12TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> INITIAL COMPLAINT INSPECTION
<b>OWNER NAME:</b> JOHN ABBATE/J&K RESTAURANTS	<b>CERTIFIED FOOD HANDLER:</b> ANGIE M AMEZCUA	<b>EXP DATE:</b> 6/18/2019	<b>INSPECTOR:</b> Troy Hommerding-REHS

A complaint was recently received by our Department alleging violations of the California Retail Food Code at this facility. In response to the complaint, an inspection of the facility was conducted and our investigation findings are provided below. If violations are noted, then appropriate corrective action is required as listed in the main section of this report. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

**Inspection Findings and General Comments:**

Today our office received a complaint the facility has not had hot water for a few days. The results of today's complaint investigation are as follows:

The facility was confirmed by the on duty manager Baldemar Betancourt that the facility has not has hot water for at least two days. A hand wash sink was checked and hot water for hand washing purposes was not available. Three compartment sink was checked, hot water was not available. The manager stated the current water heater is leaking from the bottom.

Today the water heater was observed with flowing water coming from the bottom of the water heater.

The site manager Baldemar Betancourt stated a new water heater was on the way and should be at the site with in the hour.

At this time this facility is closed due to lack of hot water supply to the facility. Please check with the local city building authority for any required permits for the installation of the new water heater.

This facility is to remain closed to the public until hot water is restored to the facility and is verified by a re-inspection of the facility by Kings County Department of Public Health, Division of Environmental Health Services. Please call for a re-inspection when ready. If calling after hours, you will be invoiced \$113.00 per hour for any after hours re-inspection.

**Violation:** IMPROPER CLEANING OF UTENSILS AND EQUIPMENT [HSC 114095-114099.5 & 114101-114119]

**Description/Corrective Action:** No hot water for cleaning and washing utensil properly.

**Violation:** RESTROOM FACILITIES NOT MAINTAINED [HSC 114250 & 114276]

**Description/Corrective Action:** Restroom hand wash sinks lacked a hot water supply.

**Violation:** IMPROPER MAINTENANCE OF HANDWASH FACILITIES [HSC 113953 - 113593.2]

**Description/Corrective Action:** No hot water for hand washing purposes.

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT - COMPLAINT INSPECTION

<b>FACILITY NAME:</b> MCDONALDS RESTAURANT	<b>BUSINESS PHONE:</b> (209) 723-3716	<b>RECORD ID#:</b> PR0006742	<b>DATE:</b> December 05, 2019
<b>FACILITY SITE ADDRESS:</b> 110 N 12TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> INITIAL COMPLAINT INSPECTION
<b>OWNER NAME:</b> JOHN ABBATE/J&K RESTAURANTS	<b>CERTIFIED FOOD HANDLER:</b> ANGIE M AMEZCUA	<b>EXP DATE:</b> 6/18/2019	<b>INSPECTOR:</b> Troy Hommerding-REHS

A complaint was recently received by our Department alleging violations of the California Retail Food Code at this facility. In response to the complaint, an inspection of the facility was conducted and our investigation findings are provided below. If violations are noted, then appropriate corrective action is required as listed in the main section of this report. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Reinspection Required: Yes: ☐ No: ☒ Reinspection Date (on or after): N/A

Received By:

*Troy Hommerding-REHS*

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health  
Environmental Health Services Division  
330 Campus Drive Hanford, CA 93230  
Phone - 559-584-1411 Fax - 559-584-6040  
Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT - COMPLAINT INSPECTION

<b>FACILITY NAME:</b> MCDONALDS RESTAURANT	<b>BUSINESS PHONE:</b> (209) 723-3716	<b>RECORD ID#:</b> PR0006742	<b>DATE:</b> December 05, 2019
<b>FACILITY SITE ADDRESS:</b> 110 N 12TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> 1ST FOLLOW UP INSPECTION
<b>OWNER NAME:</b> JOHN ABBATE/J&K RESTAURANTS	<b>CERTIFIED FOOD HANDLER:</b> Baldemar Betancourt	<b>EXP DATE:</b> 7/24/2024	<b>INSPECTOR:</b> Troy Hommerding-REHS

A complaint was recently received by our Department alleging violations of the California Retail Food Code at this facility. In response to the complaint, an inspection of the facility was conducted and our investigation findings are provided below. If violations are noted, then appropriate corrective action is required as listed in the main section of this report. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Inspection Findings and General Comments:

This is a follow-up inspection to verify a new water heater has been installed and is providing adequate hot water supply to the facility. The results of the this re-inspection are as follows:

A new water heater was observed installed, no leaks were noted at the water heater.

Hot water was checked at the mens & womens restroom hand wash sinks, employee kitchen hand wash sinks, three compartment sink and prep sink. Hot water was detected at all sinks.

The facility is ok to reopen at this time.

Violation: None Noted

Reinspection Required: Yes: ☐ No: ☒ Reinspection Date (on or after): N/A

Received By:

Troy Hommerding-REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health  
Environmental Health Services Division  
330 Campus Drive Hanford, CA 93230  
Phone - 559-584-1411 Fax - 559-584-6040  
Internet - www.countyofkings.com/ehs

**FOOD SAFETY EVALUATION REPORT - COMPLAINT INSPECTION**

<b>FACILITY NAME:</b> MCDONALDS RESTAURANT	<b>BUSINESS PHONE:</b> (209) 723-3716	<b>RECORD ID#:</b> PR0006742	<b>DATE:</b> December 05, 2019
<b>FACILITY SITE ADDRESS:</b> 110 N 12TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> INITIAL COMPLAINT INSPECTION
<b>OWNER NAME:</b> JOHN ABBATE/J&K RESTAURANTS	<b>CERTIFIED FOOD HANDLER:</b> ANGIE M AMEZCUA	<b>EXP DATE:</b> 6/18/2019	<b>INSPECTOR:</b> Troy Hommerding-REHS

A complaint was recently received by our Department alleging violations of the California Retail Food Code at this facility. In response to the complaint, an inspection of the facility was conducted and our investigation findings are provided below. If violations are noted, then appropriate corrective action is required as listed in the main section of this report. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

**Inspection Findings and General Comments:**

Today our office received a complaint the facility has not had hot water for a few days. The results of today's complaint investigation are as follows:

The facility was confirmed by the on duty manager Baldemar Betancourt that the facility has not has hot water for at least two days. A hand wash sink was checked and hot water for hand washing purposes was not available. Three compartment sink was checked, hot water was not available. The manager stated the current water heater is leaking from the bottom.

Today the water heater was observed with flowing water coming from the bottom of the water heater.

The site manager Baldemar Betancourt stated a new water heater was on the way and should be at the site with in the hour.

At this time this facility is closed due to lack of hot water supply to the facility. Please check with the local city building authority for any required permits for the installation of the new water heater.

This facility is to remain closed to the public until hot water is restored to the facility and is verified by a re-inspection of the facility by Kings County Department of Public Health, Division of Environmental Health Services. Please call for a re-inspection when ready. If calling after hours, you will be invoiced \$113.00 per hour for any after hours re-inspection.

**Violation:** IMPROPER CLEANING OF UTENSILS AND EQUIPMENT

[HSC 114095-114099.5 & 114101-114119]

**Description/Corrective Action:** No hot water for cleaning and washing utensil properly.

**Violation:** RESTROOM FACILITIES NOT MAINTAINED

[HSC 114250 & 114276]

**Description/Corrective Action:** Restroom hand wash sinks lacked a hot water supply.

**Violation:** IMPROPER MAINTENANCE OF HANDWASH FACILITIES

[HSC 113953 - 113593.2]

**Description/Corrective Action:** No hot water for hand washing purposes.

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health  
Environmental Health Services Division  
330 Campus Drive Hanford, CA 93230  
Phone - 559-584-1411 Fax - 559-584-6040  
Internet - www.countyofkings.com/ehs

**FOOD SAFETY EVALUATION REPORT - COMPLAINT INSPECTION**

<b>FACILITY NAME:</b> MCDONALDS RESTAURANT	<b>BUSINESS PHONE:</b> (209) 723-3716	<b>RECORD ID#:</b> PR0006742	<b>DATE:</b> December 05, 2019
<b>FACILITY SITE ADDRESS:</b> 110 N 12TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> INITIAL COMPLAINT INSPECTION
<b>OWNER NAME:</b> JOHN ABBATE/J&K RESTAURANTS	<b>CERTIFIED FOOD HANDLER:</b> ANGIE M AMEZCUA	<b>EXP DATE:</b> 6/18/2019	<b>INSPECTOR:</b> Troy Hommerding-REHS

A complaint was recently received by our Department alleging violations of the California Retail Food Code at this facility. In response to the complaint, an inspection of the facility was conducted and our investigation findings are provided below. If violations are noted, then appropriate corrective action is required as listed in the main section of this report. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Reinspection Required: Yes: ☐ No: ☒ Reinspection Date (on or after): N/A

Received By:

*Troy Hommerding-REHS*

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health  
Environmental Health Services Division  
330 Campus Drive Hanford, CA 93230  
Phone - 559-584-1411 Fax - 559-584-6040  
Internet - www.countyofkings.com/ehs

**FOOD SAFETY EVALUATION REPORT - COMPLAINT INSPECTION**

<b>FACILITY NAME:</b> MCDONALDS RESTAURANT	<b>BUSINESS PHONE:</b> (209) 723-3716	<b>RECORD ID#:</b> PR0006742	<b>DATE:</b> December 05, 2019
<b>FACILITY SITE ADDRESS:</b> 110 N 12TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> 1ST FOLLOW UP INSPECTION
<b>OWNER NAME:</b> JOHN ABBATE/J&K RESTAURANTS	<b>CERTIFIED FOOD HANDLER:</b> Baldemar Betancourt	<b>EXP DATE:</b> 7/24/2024	<b>INSPECTOR:</b> Troy Hommerding-REHS

A complaint was recently received by our Department alleging violations of the California Retail Food Code at this facility. In response to the complaint, an inspection of the facility was conducted and our investigation findings are provided below. If violations are noted, then appropriate corrective action is required as listed in the main section of this report. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

**Inspection Findings and General Comments:**

This is a follow-up inspection to verify a new water heater has been installed and is providing adequate hot water supply to the facility. The results of the this re-inspection are as follows:

A new water heater was observed installed, no leaks were noted at the water heater.

Hot water was checked at the mens & womens restroom hand wash sinks, employee kitchen hand wash sinks, three compartment sink and prep sink. Hot water was detected at all sinks.

The facility is ok to reopen at this time.

**Violation:** None Noted

Reinspection Required: Yes: ☐ No: ☒ Reinspection Date (on or after): N/A

Received By:

*Troy Hommerding-REHS*

Agency Representative

NOTE: This report must be made available to the public on request