

INTERNATIONAL INDIAN SCHOOL, RIYADH

GRADE-X

COMPUTER SCIENCE

Chapter-6 HTML

Objective type question:

1. Fill in the blanks:

- a) HTML stands for _____.
- b) The most basic element of any HTML page is _____ text.
- c) An Html document has two distinct parts: _____ and _____.
- d) In HTML, the tags that have both an ON tag and an OFF tag are called _____ elements.
- e) _____ is an empty element.
- f) _____ tag identifies the documents as an HTML document .
- g) The _____ element is the only element that is required in the head of a document.
- h) _____ attribute of the BODY tag is used to set the color of the background.
- i) There are _____ widely known colour names defined in HTML4.
- j) _____ defines the colour of the unvisited link.
- k) The default colouring of ALINK attribute is _____.
- l) tag requires the following attributes _____, _____ and _____.
- m) Line breaks are given through _____ tag.
- n) The _____ element draws a horizontal line across the page.
- o) The _____ tag is used to display text as superscript.
- p) SGML is the abbreviated name of _____.
- q) XML is the abbreviated name of _____.
- r) CSS is the abbreviated name of _____.
- s) PHP is the abbreviated name of _____.
- t) DHTML is the abbreviated name of _____.

- u) ASP is the abbreviated name of _____.
- v) JSP is the abbreviated name of _____.
- w) <p> stands for _____ while
 stands for _____ break.
- x) Output of the command $\text{SO } \text{\textless sub \textgreater 3 \textless /sub \textgreater}$ is _____.
- y) _____ tag displays the text with a line through it.
- z) <Hn>stands for _____.

ANS:

- | | | |
|--|------------|-------------------------------|
| a)Hypertext Markup Language. | b)ASCII | c) head, body |
| d)Container | e)
 | f)<HTML> |
| g)<title> | h)bgcolor | i)16 |
| j) LINK | k) red | l) size, color, face |
| m)
 | n) <HR> | o) <sup> |
| p)Standard Generalized Markup Language | | q) eXtensible Markup Language |
| r) Cascading Style Sheet | | s)Hypertext PreProcessor |
| t)Dynamic Hypertext Markup Language | | u) Active Server Pages |
| v)Java Server Pages | | w) Paragraph, new line |
| x) SO_3 | y)<strike> | z) Section Heading |

2. State whether True or False

- a) Elements names are case sensitive.
- b) Attribute names are not case sensitive.
- c) ALINK defines the colour of a link after it has been visited.
- d) LINK defines the color of the unvisited link.
- e) The default colouring of VLINK attribute is purple.
- f) The default value of SIZE attribute of tag is 3.

- g) The TOPMARGIN attribute is used to set the bottom margin.
- h) The FACE attribute of the tag is used to set the colour of the font for the text.
- i) The <center> element is used to center the content between the current left and right margins.
- j) The line break element is a container element.
- k) The NOSHADE attribute of <HR> tag produces a solid black line.
- l) HTML defines six levels of heading.
- m) You can use the combination of symbols (!* and *) to give comment.
- n) The element indicates a paragraph.
- o) HTML is not case sensitive.
- p) In an HTML document ,an empty element can have parameters.
- q) BACKGROUND is one of the attribute of <BODY> element.
- r) BGCOLOR attribute of BODY element is used to color the text of the document.
- s) The extension of an HTML document is either .HTL or .HTML.
- t) There is no difference between <P> tag and
.
- u) HTML is not case sensitive.
- v) HTML stands for Hypertext Made Up Language.
- w) NOSHADE can be specified with <hr> tag.
- x) The <hr> tag must be closed with the </hr> tag.
- y) The title tag is used to uniquely identify each document.
- z)<CENTER> tag is used to center text as well as images.

ANS:

- a)F b)T c)F d)T e)T f)T g)F h)F i)T j)f k)T l)T m)F n)F
- o)T p)T q)T r)F s)F t)F u)T v)F w)T x)F y)F z)T